

CONTROL DEVICES, LLC 1555 LARKIN WILLIAMS ROAD FENTON, MISSOURI 63026

> +1 636.660.7100 +1 800.233.1477

WWW.CDIVALVE.COM

ZERO LOSS COMPRESSED AIR CONDENSATE TRAP

POWERS THROUGH CONDENSATE BUILDUP. Ideal for compressor applications up to 100 hp (500 SCFM). The WaterHogTM design avoids small passages common on competitor designs, ensuring clog-free operation.

FULLY AUTOMATIC OPERATION. No timer or manual settings.

NO ELECTRICAL CONNECTIONS. WaterHog™ is powered by compressed air, avoiding the need for electrical wiring and connections.

ENERGY SAVING OPERATION. Zero compressed air loss*. Check with your utility to see if it qualifies for energy efficiency incentives. WaterHogTM pays for itself when replacing open condensate drain valves or timer traps.

LOW PROFILE. The 7.4" vertical operating height allows WaterHog[™] to fit where other larger units can't.

Also available with a polycarbonate front window
other

LH50-OLAAW

*When properly installed with balance line.



Max Operating Pressure (PSIG): 200
Min/Max Control Pressure (PSIG): 40/130

Min/Max Temperature (F): + 34/170

Inlet/Outlet Connections (npt): 1/2"

Packaged Weight (lbs): 13





Registered Program Ally



